



VERIFICATION OF TRANSLATION

I, Kyoko Tamura, registered Patent Attorney, having my business place at c/o Abe, Ikubo and Katayama, Fukuoka Building, 9th Floor, 8-7, Yaesu 2-Chome, Chuo-ku, Tokyo 104-0028 Japan, state the following:

I am fluent in the Japanese and the English language and capable of translating documents from one into the other of these languages.

The attached document is a true and accurate English translation to the best of my knowledge and belief of:

Japanese Patent Application No. 2004-067741

I state that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true.

Signature: Kyoko Tamura

Kyoko Tamura

Date: September 30, 2009

[Document Name] Patent Application
[Reference Number] P04-043
[Filing Date] March 10, 2004
[Addressee] Commissioner of the Patent Office
5 [International Classification] C09B 1/00
[Inventor]
[Residence] 3-34-49, Ooka, Minami-ku,
Yokohama-shi, Kanagawa
[Name] Keisuke Suzuki
10 [Applicant for patent]
[Identification Number] 503360115
[Name] JAPAN SCIENCE AND TECHNOLOGY AGENCY
[Attorney]
[Identification Number] 100092783
15 [Patent Attorney]
[Name] Hiroshi Kobayashi
[Phone Number] 03-3273-2611
[Appointed Attorney]
[Identification Number] 100095360
20 [Patent Attorney]
[Name] Eiji Katayama
[Appointed Attorney]
[Identification Number] 100093676
[Patent Attorney]
25 [Name] Sumiko Kobayashi
[Appointed Attorney]
[Identification Number] 100112726
[Patent Attorney]
[Name] Kaoru Kuroda
30 [Appointed Attorney]
[Identification Number] 100114409
[Patent Attorney]
[Name] Nobushige Furuhashi
[Official Fee]
35 [Prepayment Register Number] 157061

[Amount of Payment] 21000 yen

[List of What Is Submitted]


[Item]	Claims	1
[Item]	Specification	1
5 [Item]	Abstract	1
	[General Power of Attorney]	0316698

[Name of Document] CLAIMS

[Claim 1]

A production process for producing a polycyclic ketone compound represented by the following Formula (I):

5 [Formula 1]



(I)


(wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

10 R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R²
15 form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;


R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxy carbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³
20 form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;
25 m represents an integer of 0 to 3; and n represents an integer of 0 to 6),
wherein a compound represented by the following Formula (IIa) or (IIb) is treated under an acidic condition:

[Formula 2]



(IIa)



(IIb)

(wherein R¹, R², R³, R⁴, m and n are the same as described above).

5 [Claim 2]

The production process as described in claim 1, wherein the treatment described above is carried out in the presence of a catalyst.

[Claim 3]

10 The production process as described in claim 1, wherein the catalyst described above is selected from Lewis acids, protonic acids and mixtures thereof.

[Claim 4]

The production process as described in claim 3, wherein the protonic acid described above is selected from mineral acids such as hydrogen chloride, alkanesulfonic acids, carboxylic acids and mixtures thereof.

15 [Claim 5]

The production process as described in claim 1, wherein the treatment is carried out at a temperature of -78 to 150°C for 0.1 to 50 hours.

[Claim 6]

20 The production process as described in claim 1, wherein the treatment is carried out at a temperature of -30 to 40°C for 1 to 20 hours.



[Claim 7]

25 The production process as described in claim 1, wherein the solvent described above is selected from methanol, ethanol, tetrahydrofuran, diethyl ether, dichloromethane, chloroethylene, dichloroethylene, chloroform, benzene, toluene, acetonitrile, N,N-dimethylformamide and dimethyl ketone, water, 1,4-dioxane, 1,2-dimethoxyethane and mixtures thereof.

[Claim 8]


A production process for producing a compound represented by the following Formula (IIa) or (IIb):

[Formula 4]



5 (wherein R¹, R², R³, R⁴, m and n are the same as described below) using a production process in which a compound represented by the following Formula (III):

[Formula 3]



10 (wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;
R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R² form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;
20 R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxy carbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³

form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

m represents an integer of 0 to 3; and n represents an integer of 0 to 6) is treated under the presence of a compound represented by the following Formula (IV):




(wherein M represents metal, and R^4 represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C_1 to C_{10} alkoxy group which may be substituted, a C_1 to C_{10} acyl group which may be substituted, a C_1 to C_{10} alkyl group which may be substituted, a phenyl group which may be substituted or a C_1 to C_{20} hydrocarbon group which may be substituted).

10 [Claim 9]

The production process as described in claim 8, wherein the compound represented by the following Formula (IIa) or (IIb) is obtained in the form of a single isomer:

15 [Formula 5]



(wherein R^1 , R^2 , R^3 , R^4 , m and n are the same as described above).

[Claim 10]

The production process as described in claim 7, wherein the compound represented by Formula (IIa) or (IIb) (wherein R^1 , R^2 , R^3 , R^4 , m and n are the same as described above) described above is produced by treatment carried out at a temperature of -120 to 40°C for 0.01 to 5 hours.

[Claim 11]

The production process as described in claim 8, wherein the compound represented by Formula (IIa) or (IIb) described above (wherein R^1 , R^2 , R^3 , R^4 , m and n are the same as described above) is treated at a temperature of -100 to -20°C for 0.05 to 1 hour.

[Claim 12]

The production process as described in claim 8, wherein in the production of the compound represented by Formula (IIa) or (IIb) described above (wherein R¹, R², R³, R⁴, m and n are the same as described above), the solvent described above is selected from methanol, ethanol, tetrahydrofuran, diethyl ether, dichloromethane, chloroethylene, dichloroethylene, 5 chloroform, benzene, toluene, acetonitrile, N,N-dimethylformamide and dimethyl ketone, water, 1,4-dioxane, 1,2-dimethoxyethane and mixtures thereof.

[Claim 13]

The production process as described in claim 1 or 8, wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted or a C₁ to C₁₀ alkoxy group which may be substituted; R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₁₀ acyl group which may be substituted or two groups of R² form a 10 hydrocarbon group of a 5- to 6-membered ring which may be substituted together with adjacent carbon atoms; R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₅ alkoxy carbonyl group which may be substituted or a C₁ to C₁₀ alkyl group which may be substituted or two 15 groups of R³ form a hydrocarbon group of a 5- to 6-membered ring which may be substituted together with adjacent carbon atoms; R⁴ represents a hydrogen atom, a halogen atom, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkenyl group which may be substituted, a C₁ to C₁₀ alkynyl group which may be substituted or a phenyl group which may be substituted; M represents metal; m 20 represents an integer of 0 to 2; and n represents an integer of 0 to 4.

[Claim 14]

The production process as described in claim 1 or 8, wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₅ alkoxy group or a C₁ to C₅ alkoxy C₁ to C₅ alkoxy group; R² may be independent 30 from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted or a C₁ to C₁₀ alkoxy group which may be substituted or two groups of R² form a hydrocarbon group of a 6-membered ring together with adjacent carbon atoms; R³ may be independent from each other and the same as or different 35 from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₁₀ alkyl group

which may be substituted or two groups of R³ form a hydrocarbon group of a 6-membered ring together with adjacent carbon atoms; R⁴ represents a hydrogen atom, a halogen atom, an amino group which may be substituted, a C₁ to C₅ alkoxy group which may be substituted, a C₁ to C₅ acyl group which may be substituted, a C₁ to C₅ alkyl group which may be substituted, a C₁ to C₅ alkenyl group which may be substituted, a C₁ to C₅ alkynyl group which may be substituted or a phenyl group which may be substituted; M represents lithium, magnesium, sodium, potassium or zinc; m represents 0 or 1; and n represents an integer of 0 to 3.


[Claim 15]

10 The production process as described in claim 1 or 8, wherein R¹ represents a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, methoxy or methoxymethoxy; R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group, a C₁ to C₃ alkyl group or a C₁ to C₃ alkoxy group which may be substituted or
15 two groups of R² form a condensed benzene ring together with adjacent carbon atoms; R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₃ alkyl group which may be substituted or two groups of R³ form a condensed cyclohexyl ring together with adjacent carbon atoms; R⁴ represents a C₁ to C₃ alkyl group which may be substituted, a vinyl group, a phenyl group or a tolyl group; M represents lithium; m represents 0 or 1; and n represents 0 or
20 1.

[Claim 16]

A polycyclic ketone compound represented by the following Formula (I):

[Formula 6]



(I)

(wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

R² may be independent from each other and the same as or different from each other and
5 represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R² form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with
10 adjacent carbon atoms;

R³ may be independent from each other and the same as or different from each other and
represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxycarbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³ form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with
15 adjacent carbon atoms;

R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;
20 m represents an integer of 0 to 2; and n represents an integer of 0 to 4).

[Claim 17]

The polycyclic ketone compound as described in claim 16, wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted or a C₁ to C₁₀ alkoxy group which may be substituted; R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a C₁ to C₁₀ acyl group which may be substituted or two groups of R² form a hydrocarbon group of a 5- to 6-membered ring which may be substituted together with
25 adjacent carbon atoms; R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₅ alkoxycarbonyl group which may be substituted or a C₁ to C₁₀ alkyl group which may be substituted or two groups of R³ form a hydrocarbon group of a 5- to 6-membered ring which may be substituted together with adjacent carbon atoms; R⁴ represents a hydrogen atom, a halogen atom, an
30 amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a
35

C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted or a phenyl group which may be substituted; m represents an integer of 0 to 2; and n represents an integer of 0 to 4.

[Claim 18]

5 The polycyclic ketone compound as described in claim 16, wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₅ alkoxy group or a C₁ to C₅ alkoxy C₁ to C₅ alkoxy group; R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted or a C₁ to C₁₀ alkoxy group which may be substituted or two groups of R² form a hydrocarbon group of a 6-membered ring together with adjacent carbon atoms; R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₁₀ alkyl group which may be substituted or two groups of R³ form a hydrocarbon group of a 6-membered ring together with adjacent carbon atoms; R⁴ represents a hydrogen atom, a halogen atom, an amino group which may be substituted, a C₁ to C₅ alkoxy group which may be substituted, a C₁ to C₅ acyl group which may be substituted, a C₁ to C₅ alkyl group which may be substituted or a phenyl group which may be substituted; m represents 0 or 1; and n represents an integer of 0 to 3.



20 [Claim 19]

The polycyclic ketone compound as described in claim 16, wherein R¹ represents a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, methoxy or methoxymethoxy; R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group or a C₁ to C₃ alkyl group or a C₁ to C₃ alkoxy group which may be substituted or two groups of R² form a condensed benzene ring together with adjacent carbon atoms; R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₃ alkyl group which may be substituted or two groups of R³ form a condensed cyclohexyl ring together with adjacent carbon atoms; R⁴ represents a C₁ to C₃ alkyl group which may be substituted or a tolyl group; m represents 0 or 1; and n represents 0 or 1.

[Claim 20]

A polycyclic compound represented by the following Formula (IIa) or (IIb):

[Formula 7]



(wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

5 R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R²
10 form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxy carbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³
15 form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;
20 m represents an integer of 0 to 2; and n represents an integer of 0 to 4).

[Name of Document] SPECIFICATION

[Title of the Invention] POLYCYCLIC KETONE COMPOUND AND PRODUCTION
PROCESS FOR THE SAME

[FIELD OF THE INVENTION]

5 [0001]

The present invention relates to that addition of various alkylmetals to α -ketol selectively obtained provides adducts each corresponding to the compounds at a high stereoselectivity. Further, it relates to a synthetic process of a compound having an isoxazole skeleton and a polycyclic ketone compound having an anthraquinone skeleton and 10 the like by transfer reaction under an acidic condition. The present invention relates to medical compounds, agricultural chemical compounds and dye compounds each comprising a polycyclic ketone compound and a production process for the same.

[BACKGROUND ART]

15 [0002]

Methods for synthesizing stereoselectively polycyclic compounds having a quaternary asymmetric carbon in an internuclear position are very few and have so far been scarcely known.

20 [0003]

Polycyclic compounds are contained in physiologically active compounds and 25 functional materials in many cases. For example, some substituted anthraquinone compound has so far been known as a dye. For example, compounds which have an amino group, an alkylamino group or an arylamino group in an α -position of anthraquinone and which have a sulfonic acid group in the other positions are publicly known as anthraquinone base acidic dyes. Specifically, Anthraquinone Iris R, Anthraquinone Violet RN, 3RN, Anthraquinone 25 Blue RXO and Anthracyanine are produced and marketed as dyes. Applications as an antitumor agent and a photographic material are found for some kind of anthraquinone compounds.

Thus, polycyclic ketone compounds having an anthraquinone skeleton have various 30 industrially useful applications, but so many synthetic processes which are satisfactory in terms of reaction conditions, a number of reaction steps and application ranges are not necessarily available. Accordingly, desired is a process for synthesizing stereoselectively polycyclic ketone compounds having various anthraquinone skeleton.

[DISCLOSURE OF INVENTION]

[PROBLEMS TO BE SOLVED BY THE INVENTION]

35 [0004]

Synthesizing stereoselectively a polycyclic compound having a quaternary asymmetric carbon in an internuclear position can be provided.

[MEANS FOR SOLVING THE PROBLEM]


[0005]

Various investigations repeated by the present inventors on a process for synthesizing a polycyclic ketone compound having an anthraquinone skeleton and the like have resulted in finding that polycyclic ketone compounds having an anthraquinone skeleton and the like which are observed in, for example, physiologically active natural organic compounds can be stereoselectively synthesized at a high yield.

[0006]

That is, the first embodiment of the present invention is a production process for producing a polycyclic ketone compound represented by the following Formula (I):

[Formula 8]



(I)

(wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R² form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;


R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxy carbonyl group which may be

substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³ form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;


R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted; m represents an integer of 0 to 3; and n represents an integer of 0 to 6),

wherein a compound represented by the following Formula (IIa) or (IIb) is treated under an acidic condition:

[Formula 9]



(IIa)



(IIb)

(wherein R¹, R², R³, R⁴, m and n are the same as described above).

[0007]

The treatment described above in the first embodiment of the present invention is carried out preferably under the presence of a catalyst. The catalyst is selected preferably from Lewis acids, protonic acids and mixtures thereof. The protonic acid described above is selected preferably from mineral acids such as hydrogen chloride, alkanesulfonic acids, carboxylic acids and mixtures thereof. The alkanesulfonic acid described above is preferably trifluoromethanesulfonic acid (CF₃O₃HS).

[0008]

In the first embodiment of the present invention, the treatment is preferably carried out at a temperature of -78 to 150°C for 0.1 to 50 hours, and the treatment is more preferably carried out at a temperature of -30 to 40°C for 1 to 20 hours.

[0009]



In the first embodiment of the present invention, the solvent described above is selected preferably from methanol, ethanol, tetrahydrofuran, diethyl ether, dichloromethane, chloroethylene, dichloroethylene, chloroform, benzene, toluene, acetonitrile, N,N-dimethylformamide and dimethyl ketone, water, 1,4-dioxane, 1,2-dimethoxyethane and mixtures thereof.

5 [0010]

The second embodiment of the present invention is a production process for producing a compound represented by the following Formula (IIa) or (IIb):

[Formula 11]


10



(wherein R¹, R², R³, R⁴, m and n are the same as described below) using a production process comprising treating a compound represented by the following Formula (III):

15

[Formula 10]



20

(wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl

group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R² form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

5 R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxy carbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³ form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

10 m represents an integer of 0 to 3; and n represents an integer of 0 to 6) under the presence of a compound represented by the following Formula (IV):



(wherein M represents metal, and R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted).

[0011]

In the second embodiment of the present invention, the compound represented by Formula (IIa) or (IIb) described above (wherein R¹, R², R³, R⁴, m and n are the same as described above) is obtained in the form of a single isomer.

[0012]

In the second embodiment of the present invention, the compound represented by Formula (IIa) or (IIb) described above (wherein R¹, R², R³, R⁴, m and n are the same as described above) is preferably treated at a temperature of -120 to 40°C for 0.01 to 5 hours, more preferably at a temperature of -100 to -20°C for 0.05 to 1 hour, whereby it is produced.


[0013]

In the second embodiment of the present invention, provided is a production process in which the solvent described above used in the treatment for producing the compound represented by Formula (IIa) or (IIb) described above (wherein R¹, R², R³, R⁴, m and n are the same as described above) is selected from methanol, ethanol, tetrahydrofuran, diethyl ether, dichloromethane, chloroethylene, dichloroethylene, chloroform, benzene, toluene, acetonitrile, N,N-dimethylformamide and dimethyl ketone, water, 1,4-dioxane, 1,2-dimethoxyethane and mixtures thereof.

35 [0014]

The third embodiment of the present invention is a polycyclic ketone compound represented by the following Formula (I):

[Formula 12]



(I)

(wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R² form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alkoxy carbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³ form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;


R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

m represents an integer of 0 to 2; and n represents an integer of 0 to 4).


[0015]

The fourth embodiment of the present invention is a polycyclic compound represented by the following Formula (IIa) or (IIb):

[Formula 13]



(IIa)



(IIb)

(

wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted;

R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted or a heterocyclic group of a 5- to 7-membered ring which may be substituted or two groups of R² form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C₁ to C₁₀ alcoxycarbonyl group which may be substituted or a C₆ to C₂₀ hydrocarbon group which may be substituted or two groups of R³ form a hydrocarbon group of a 4- to 6-membered ring which may be substituted together with adjacent carbon atoms;

R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a phenyl group which may be substituted or a C₁ to C₂₀ hydrocarbon group which may be substituted; m represents an integer of 0 to 2; and n represents an integer of 0 to 4).

[0016]

In the present invention, R¹ is preferably a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted or a C₁ to C₁₀ alkoxy group which may be substituted; it is more preferably a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted, a C₁ to C₅ alkoxy group or a C₁ to C₅ alkoxy C₁ to

C₅ alkoxy group; and it is further preferably a hydroxyl group, a halogen atom, a silyloxy group which may be substitute, methoxy or methoxymethoxy.

[0017]

In the present invention, preferably R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₂₀ hydrocarbon group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted or a C₁ to C₁₀ acyl group which may be substituted or two groups of R² form a hydrocarbon group of a 5- to 6-membered ring which may be substituted together with adjacent carbon atoms; more preferably it may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted or a C₁ to C₁₀ alkoxy group which may be substituted or two groups of R² form a hydrocarbon group of a 6-membered ring together with adjacent carbon atoms; and further preferably it may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group, a C₁ to C₃ alkyl group or a C₁ to C₃ alkoxy group which may be substituted or two groups of R² form a condensed benzene ring together with adjacent carbon atoms.

[0018]

In the present invention, preferably R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₅ alkoxycarbonyl group which may be substituted or a C₁ to C₁₀ alkyl group which may be substituted or two groups of R³ form a hydrocarbon group of a 5- to 6-membered ring which may be substituted together with adjacent carbon atoms; more preferably it may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₁₀ alkyl group which may be substituted or two groups of R³ form a hydrocarbon group of a 6-membered ring together with adjacent carbon atoms; and further preferably it may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group or a C₁ to C₃ alkyl group which may be substituted or two groups of R³ form a condensed cyclohexyl ring together with adjacent carbon atoms.

[0019]

In the present invention, R⁴ is preferably a hydrogen atom, a halogen atom, an amino group which may be substituted, a C₁ to C₁₀ alkoxy group which may be substituted, a C₁ to C₁₀ acyl group which may be substituted, a C₁ to C₁₀ alkyl group which may be substituted, a

C₁ to C₁₀ alkenyl group which may be substituted, a C₁ to C₁₀ alkynyl group which may be substituted or a phenyl group which may be substituted; it is more preferably a hydrogen atom, a halogen atom, an amino group which may be substituted, a C₁ to C₅ alkoxy group which may be substituted, a C₁ to C₅ acyl group which may be substituted, a C₁ to C₅ alkyl group which may be substituted, a C₁ to C₅ alkenyl group which may be substituted or a phenyl group which may be substituted; and it is further preferably a C₁ to C₃ alkyl group which may be substituted, a vinyl group, a phenyl group or a tolyl group.

[0020]

In the present invention, M is preferably metal such as lithium, magnesium, sodium, potassium or zinc.

[0021]

In the present invention, m is, to be specific, an integer of 0 to 2; and it is more specifically 0 or 1. To be specific, n is an integer of 0 to 4; to be more specific, it is an integer of 0 to 3; and to be further specific, it is 0 or 1.

[0022]

In the present specification, the "C₁ to C₂₀ hydrocarbon group" means a hydrocarbon group which may be saturated or unsaturated acyclic or may be saturated or unsaturated cyclic. When it is acyclic, it may be either linear or branched. The C₁ to C₂₀ hydrocarbon group includes, for example, a C₁ to C₂₀ alkyl group, a C₂ to C₂₀ alkenyl group, a C₂ to C₂₀ alkynyl group, a C₃ to C₂₀ allyl group, a C₄ to C₂₀ alkyldienyl group, a C₄ to C₂₀ polyenyl group, a C₆ to C₁₈ aryl group, a C₆ to C₂₀ alkylaryl group, a C₆ to C₂₀ arylalkyl group, a C₄ to C₂₀ cycloalkyl group, a C₄ to C₂₀ cycloalkenyl group and a (C₃ to C₁₀ cycloalkyl) C₁ to C₁₀ alkyl group.

[0023]

The C₁ to C₂₀ hydrocarbon group used in the present invention includes, specifically, a C₁ to C₁₀ alkyl group, a C₂ to C₁₀ alkenyl group, a C₂ to C₁₀ alkynyl group, a C₃ to C₁₀ allyl group, a C₄ to C₁₀ alkyldienyl group, a C₄ to C₁₀ polyenyl group, a C₆ to C₁₀ aryl group, a C₆ to C₁₂ alkylaryl group, a C₆ to C₁₂ arylalkyl group, a C₄ to C₁₀ cycloalkyl group and a C₄ to C₁₀ cycloalkenyl group.

[0024]

The "alkyl group" in the present specification is an alkyl group which may be either linear or branched, and it includes, for example, methyl, ethyl, propyl, n-butyl, t-butyl, pentyl and hexyl.

[0025]

In the present specification, the “alkenyl group” includes a linear or branched alkenyl group having 1 to 3 double bonds and 2 to 10 carbon atoms, and it includes, to be specific, ethenyl, 1-propenyl, 2-propenyl, 1-methylethenyl, 1-butenyl, 2-butenyl, 3-butenyl, 2-methyl-2-propenyl, 1-pentenyl, 2-pentenyl, 4-pentenyl, 3-methyl-2-butenyl, 1-hexenyl, 5 2-hexenyl, 1-heptenyl, 2-heptenyl, 1-octenyl, 2-octenyl, 1,3-octadienyl, 2-nonenyl, 1,3-nonadienyl and 2-decenyl.

[0026]

The “alkynyl group” includes a linear or branched alkenyl group having 1 to 3 triple bonds and 2 to 10 carbon atoms, and it includes, to be specific, ethynyl, 1-propynyl, 10 2-propynyl, 1-butynyl, 2-butynyl, 3-butynyl, 1-pentyne, 2-pentyne, 4-pentyne, 1-octyne, 6-methyl-1-heptyne and 2-decynyl.

[0027]

The “cycloalkyl group” includes, for example, a cycloalkyl group having 3 to 10 carbon atoms, and it includes, to be specific, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl 15 and cycloheptyl. A lower cycloalkyl group includes a cycloalkyl group having 3 to 6 carbon atoms.

[0028]

The “alkoxy group” means an oxy group to which an alkyl group is bonded and includes, to be specific, methoxy, ethoxy, propoxy, 2-propoxy, butoxy, 1,1-dimethylethoxy, 20 pentoxy and hexoxy.

[0029]

The “acyl group” includes, for example, formyl, acetyl, propanoyl, 2-propanoyl, pivaloyl, valeryl, pivaloyl, trifluoroacetyl, benzoyl, naphthoyl, nicotinoyl, methanesulfonyl, trifluoromethanesulfonyl and p-toluenesulfonyl.

25 [0030]

The “aryl group” includes, for example, a phenyl group, a naphthyl group such as a 1-naphthyl group or a 2-naphthyl group, an indenyl group such as a 2-indenyl group, an anthryl group such as a 2-anthryl group, a tolyl group such as 2-tolyl, 3-tolyl and 4-tolyl and a biphenyl group.

30 [0031]

The “silyloxy group” includes, for example, dimethylsilyloxy, diethylsilyloxy, trimethylsilyloxy, triethylsilyloxy, trimethoxysilyloxy, triethoxysilyloxy, diphenylmethylsilyloxy, triphenylsilyloxy, triphenoxyisilyloxy, dimethylmethoxysilyloxy, dimethylphenoxyisilyloxy and methylmethoxysilyloxy.

35 [0032]

The “heterocyclic group” includes, for example, a saturated heterocyclic group or an unsaturated heterocyclic group of a 5- to 7-membered ring having 1 to 3 nitrogen atoms, an oxygen atom and/or a sulfur atom. The saturated heterocyclic group includes, for example, tetrahydrofuryl, pyrrolidinyl, pyrazolidinyl, imidazolidinyl, piperidinyl, morpholinyl, 5 thiamorpholinyl and piperazinyl. The unsaturated heterocyclic group includes, for example, furyl, thienyl, indolyl and isothiazolyl.

The “hydrocarbon group of a 4- to 6-membered ring” includes, for example, cyclobutyl, cyclopentyl, cyclohexyl and phenyl.

[0033]

Groups which can be substituted into a hydrocarbon group and a heterocyclic group include, for example, a halogen atom (for example, fluorine, chlorine, bromine and iodine), a nitro group, a cyano group, a C₁₋₆ alkyl group which may be halogenated, a C₃₋₆ cycloalkyl group which may be halogenated, a C₁₋₆ alkoxy group which may be halogenated, a C₁₋₆ alkylthio group which may be halogenated, a hydroxy group, an amino group, a mono-C₁₋₆ 10 alkylamino group (for example, methylamino, ethylamino, propylamino, isopropylamino and butylamino), a di-C₁₋₆ alkylamino group (for example, dimethylamino, diethylamino, dipropylamino, dibutylamino and ethylmethylamino), a formyl group, a carboxy group, a carbamoyl group, a C₁₋₆ alkylcarbonyl group which may be halogenated, a C₁₋₆ 15 alkoxycarbonyl group (for example, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl and tert-butoxycarbonyl), a mono-C₁₋₆ alkylcarbamoyl group (for example, methylcarbamoyl and ethylcarbamoyl), a di-C₁₋₆ alkylcarbamoyl group (for example, dimethylcarbamoyl, diethylcarbamoyl and ethylmethylcarbamoyl), a C₁₋₆ alkylsulfonyl group which may be 20 halogenated, a formylamino group, a C₁₋₆ alkylcarboxamide group which may be halogenated, a C₁₋₆ alkoxycarboxamide group (for example, methoxycarboxamide, ethoxycarboxamide, 25 propoxycarboxamide and butoxycarboxamide), a C₁₋₆ alkylsulfonylamino group (for example, methylsulfonylamino and ethylsulfonylamino), a C₁₋₆ alkylcarbonyloxy group (for example, acetoxy and propanoyloxy), a C₁₋₆ alkoxycarbonyloxy group (for example, methoxycarbonyloxy, ethoxycarbonyloxy, propoxycarbonyloxy and butoxycarbonyloxy), a 30 mono-C₁₋₆ alkylcarbamoyloxy group (for example, methylcarbamoyloxy and ethylcarbamoyloxy) and a di-C₁₋₆ alkylcarbamoyloxy group (for example, dimethylcarbamoyloxy and diethylcarbamoyloxy). The number of the above substituents substituted shall not specifically be restricted, for example, 1 to 5 groups, more specifically 1 to 3 groups of the above substituents are substituted.

[EFFECT OF THE INVENTION]

35 [0034]

The reaction in the present invention can be allowed to catalytically proceed. According to the present invention, a polycyclic ketone compound provided with functional groups to a high degree can be provided, and it is useful for synthesizing particularly compounds having an aromatic ring and an alicyclic structure in combination.

Further, the reaction in the present invention is reaction having a high stereoselectivity, and therefore it has been found that asymmetric information in the starting material can be reflected on an optical purity of the final product.

[BEST MODE FOR CARRYING OUT THE INVENTION]

[0035]

The production process of the present invention shall be explained below in more details.


[0036]

The polycyclic compound of the present invention can be produced by a process shown in the following scheme 1.

[0037]

Scheme 1

[Formula 14]



(wherein R¹, R², R³, R⁴, m and n show the same meanings as described above).

[0038]

In the scheme 1 described above, transfer reaction such as a pinacol type proceeds by treating the compound represented by Formula (IIa) or (IIb) on an acidic condition in the presence of a catalyst, and obtained is the compound represented by Formula (I) in which a hydroxyl group in an internuclear position is substituted with an alkyl group. In this case, a 5 direction in which R₄ is bonded can be determined by selecting either of Formula (IIa) and Formula (IIb).

[0039]

The suited catalyst used here is preferably an acid. For example, the acid is selected preferably from Lewis acids, protonic acids and mixtures thereof. The protonic acid 10 described above is selected preferably from mineral acids such as hydrogen chloride, alkanesulfonic acids, carboxylic acids and mixtures thereof. Trifluoromethanesulfonic acid is preferably used as the alkanesulfonic acid described above. A use amount of the acids described above is 0.05 to 0.4 mole, preferably 0.05 to 0.2 mole per mole of the compound represented by Formula (IIa) or (IIb) described above.

[0040]

The above reaction is carried out in the absence of a solvent or in a solvent which is inactive to the reaction. The solvent which can be used in the above reaction and which is inactive to the reaction includes, for example, methanol, ethanol, tetrahydrofuran, diethyl ether, dichloromethane, chloroethylene, dichloroethylene, chloroform, benzene, toluene, 20 acetonitrile, N,N-dimethylformamide and dimethyl ketone, water, 1,4-dioxane and 1,2-dimethoxyethane. They may be used by mixing two or more kinds thereof in a suitable proportion. Among the above solvents, 1,1-dichloroethylene is suitably used.

[0041]

The reaction described above is carried out, for example, at a temperature of -78 to 25 150°C, preferably -30 to 40°C for 0.1 to 50 hours, preferably 0.1 to 5 hours. This reaction is carried out usually at an atmospheric pressure, but it can be carried out, if necessary, under reduced pressure or applied pressure.

The intended compound of Formula (Ia) or (Ib) can be isolated, if necessary, from the reaction mixture thus obtained, for example, by separating means such as various 30 chromatographies.


[0042]

The compound represented by Formula (IIa) or (IIb) described above used in the above scheme 1 is publicly known or can be synthesized by a process shown in the following scheme 2.

[0043]

Scheme 2

[Formula 15]



5

(wherein R¹, R², R³, R⁴, M, m and n show the same meanings as described above).

[0044]

In the scheme 2 described above, the compound represented by Formula (IIa) or (IIb) is obtained in the form of an adduct (R⁴) corresponding to each alkyl at a high stereoselectivity by adding alkyl metal to the compound represented by Formula (III). It can be obtained by carrying out the reaction in the absence of a solvent or in a solvent which is inactive to the reaction under the presence of R⁴-M represented by Formula (IV). A use amount of R⁴-M is about 2 to 5 mole, preferably about 2 to 3 mole per mole of the compound represented by Formula (III) described above.

15 [0045]

The solvent which can be used in the above reaction and which is inactive to the reaction includes, for example, methanol, ethanol, tetrahydrofuran, diethyl ether, dichloromethane, chloroethylene, dichloroethylene, chloroform, benzene, toluene, acetonitrile, N,N-dimethylformamide and dimethyl ketone, water, 1,4-dioxane and 1,2-dimethoxyethane. 20 They may be used by mixing two or more kinds thereof in a suitable proportion. In the reaction described above, tetrahydrofuran is preferably used for the solvent.

[0046]

The reaction described above is carried out, for example, at a temperature of -120 to 40°C, preferably -100 to -20°C for 0.01 to 5 hours, preferably 0.05 to 1 hour. This reaction is carried out usually at an atmospheric pressure, but it can be carried out, if necessary, under reduced pressure or applied pressure.

5 The compound represented by Formula (II) described above can be obtained, if necessary, from the reaction mixture thus obtained, for example, by separating means such as various chromatographies.

[0047]

10 The polycyclic ketone compound of the present invention thus obtained represented by Formula (I) can be converted into useful medical compounds, agricultural chemical compounds, dye compounds and compounds for photographic materials by further chemically modifying.

[EXAMPLES]

[0048]

15 The present invention shall be explained below with reference to examples. However, the present invention shall not be restricted to the examples described below.


[0049]

Synthesis of 5a-(4-methylphenyl)-10-(2,2-dimethylethyl)dimethylsilyloxy-6-oxo-3,4,5,5a-tetrahydroanthra[9,1-cd]isoxazole

20 Ketone 3 (5a-(4-methylphenyl)-10-(2,2-dimethylethyl)dimethylsilyloxy-6-oxo-3,4,5,5a-tetrahydroanthra[9,1-cd]isoxazole) is produced by reaction shown below. That is, ketone 3 is produced through a step (first step) in which ketol 1 (10-(2,2-dimethylethyl)dimethylsilyloxy-5a-hydroxy-6-oxo-3,4,5,5a-tetrahydroanthra[9,1-cd]isoxazole) is reacted with p-tolyllithium 4 to produce diol 2 (10-(2,2-dimethylethyl)dimethylsilyloxy-5a,6-dihydroxy-6-(4-methylphenyl)-3,4,5,5a-tetrahydroanthra[9,1-cd]isoxazole) and a step (second step) in which transfer reaction of a pinacol type proceeds in diol 2 with a Lewis acid used as a catalyst to synthesize a compound in which a hydroxyl group in an internuclear position is substituted with an alkyl group.

25 The above two steps shall be explained below according to the following reaction formula.

[Formula 16]



[0050]

First step

A THF solution (5.0 mL) of 4-bromotoluene (0.52 mL, d = 1.39 g/mL, 4.2 mmol)
5 was cooled to -78°C, and n-butyllithium (2.4 mL, 1.6M hexane solution, 3.8 mmol) was added thereto. The solution was stirred at the temperature which was kept intact for 20 minutes to synthesize p-tolyllithium 4. A THF solution (5.0 mL) of ketol 1 (475 mg, 1.28 mmol) was added to the above solution in 10 minutes. After stirring for 5 minutes, a saturated ammonium chloride solution was added to the reaction solution to terminate the
10 reaction.

The product was extracted twice with ethyl acetate, and the organic layer put together was washed with a saturated saline solution and then dried on anhydrous sodium sulfate. After filtering off the drying agent, the filtrate was concentrated under reduced pressure, and the crude product thus obtained was refined by silica gel chromatography
15 (hexane/ethyl acetate = 86/14) to obtain diol 2 (546 mg, 92 %) in the form of a white solid matter.

The physicochemical properties of diol 2 thus obtained are shown below.

[0051]

¹H NMR (CDCl₃)δ 7.43 (d, 1 H, J = 8.0 Hz), 7.29 (t, 1H, J = 8.0 Hz), 6.89 to 7.05 (m, 5H), 4.07 (s, 1H), 2.77 (dd, 1H, J = 17.6, 4.7 Hz), 2.33 to 2.45 (m, 1H), 2.21 (s, 3H), 2.00 to 2.14 (m, 2H), 1.90 to 1.99 (m, 2H), 1.09 (s, 9H), 0.36 (s, 3H), 0.29 (s, 3H);
¹³C NMR (CDCl₃)δ 169.6, 154.7, 153.1, 147.3, 138.3, 136.8, 131.7, 128.6, 126.2, 121.4, 119.2, 116.5, 113.7, 80.7, 70.5, 28.8, 25.9, 22.2, 20.9, 18.8, 18.5, -3.9, -4.0;
Anal. calculated for C₂₇H₃₃O₄: C, 72.46; H, 6.08, found: C, 72.58; H, 6.21.

[0052]

10 Second step

A methylene chloride solution (1.5 mL) of diol 2 (83.1 mg, 0.179 mmol) was cooled to 0°C, and a methylene chloride solution (0.10 mL, 0.18M, 0.018 mmol) of a boron trifluoride diethyl ether complex was slowly added thereto. The solution was stirred at the temperature which was kept intact for 30 minutes, and then a saturated sodium hydrogencarbonate aqueous solution was added to the reaction solution to terminate the reaction.

20 The product was extracted three times with ethyl acetate, and the organic layer put together was washed with a saturated saline solution and then dried on anhydrous sodium sulfate. After filtering off the drying agent, the filtrate was concentrated under reduced pressure, and the crude product thus obtained was refined by silica gel chromatography (hexane/ethyl acetate = 90/10) to obtain ketone 3 (79.4 mg, 99 %) in the form of a white solid matter.

The physicochemical properties of ketone 3 thus obtained are shown below.

[0053]

25 ¹H NMR (CDCl₃)δ 7.45 (d, 1H, J = 8.0 Hz), 7.26 (t, 1H, J = 8.0 Hz), 7.10 (d, 1H, J = 8.0 Hz), 7.10 (d, 2H, J = 8.1 Hz), 7.03 (d, 2H, J = 8.1 Hz), 2.86 (dd, 1H, J = 18.0, 6.2 Hz), 2.68 (ddd, 1H, J = 18.0, 11.2, 6.6 Hz), 2.50 to 2.58 (m, 1H), 2.25 (s, 3H), 1.97 to 2.05 (m, 1H), 1.90 (dd, 1H, J = 13.2, 2.7 Hz), 1.52 to 1.66 (m, 1H), 1.07 (s, 9H), 0.28 (s, 3H), 0.26 (s, 3H);
¹³C NMR (CDCl₃)δ 198.6, 168.0, 154.0, 152.7, 137.4, 135.9, 134.5, 130.8, 129.3, 127.3, 125.4, 122.1, 120.5, 113.7, 51.4, 31.8, 25.9, 22.0, 20.9, 18.5, 18.1, -4.08, -4.13;
IR 3010, 2947, 2927, 2856, 1701, 1666, 1571, 1454, 1267, 1241, 1001, 966, 835, 811, 785, 752 cm⁻¹.

[INDUSTRIAL APPLICABILITY]

[0054]

35 Use of the production process of the present invention makes it possible to introduce stereoselectively various substituents, and therefore capable of being provided are a useful

intermediate for synthesizing medical compounds, agricultural chemical compounds, dye compounds and compounds for photographic materials and a production process for the same. Further, it can contribute as well to the field of material science.


[Name of Document] ABSTRACT

[Abstract]

[Problem] A method for synthesizing stereoselectively a polycyclic compound having a quaternary asymmetric carbon in an internuclear position can be provided.

5 [Means for solving the problem] The subject in the present invention can be achieved by a polycyclic ketone compound represented by the following Formula (I):

[Formula 17]



(I)

10 (wherein R¹ represents a hydrogen atom, a hydroxyl group, a halogen atom, a silyloxy group which may be substituted or the like; R² may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a cyano group, a nitro group, an amino group which may be substituted or the like; R³ may be independent from each other and the same as or different from each other and represents a halogen atom, a hydroxyl group, a C1 to C10 alkoxy carbonyl group which may be substituted or the like; R⁴ represents a hydrogen atom, a halogen atom, a cyano group, a nitro group or the like; m represents an integer of 0 to 3; and n represents an integer of 0 to 6) and a production process for the same.

15

[Representative drawing] None